

# TRADITIONAL CONSTRUCTION

## **ALTERNATE CONSTRUCTION**

### **METAL HOUSING WITH STEEL STUDS**

## **METAL HOUSING, COPPER & STEEL STUD**





### TYPE OF CIRCUIT BREAKERS

TYPE 1:

CYCLING CIRCUIT BREAKER

VOLT, ETC. AMPERAGE

SEE NOTE 3 & A

- 1. ALL STEEL PARTS PLATED
- 2. ALL DIMENSIONS ARE REFERENCE ONLY
- 3. LOGO AMPERAGE, VOLTAGE, TYPE & DATE CODE STAMPED LEGIBLY ON CASE SIDE
- 4. CIRCUIT BREAKER MEETS SAE J553 JUN 88
- 5. METAL HOUSING IS STEEL W/ZINC YELLOW DICHROMATE OR CLEAR ZINC.
- 6. HARDWARE: STEEL, ZINC PLATED
- 7. COLE HERSEE/LITTELFUSE MAY SUPPLY
- EITHER CONSTRUCTION-TYPE A OR TYPE B.

PROPRIETARY INFORMATION This Engineering Drawing, and the information contained herein, is proprietary to Cole Hersee Company and may not be disclosed, re-produced, or in any other way transferred or communicated to any other party without the

<u>DESIGN CONTROL</u> It is the responsibility of the individual using / referencing this drawing to assure that the noted design revision level agrees with the revision level of the Controlled Document (Master Drawing). This is a NON-CONTROLLED DOCUMENT unless otherwise specifically noted.

DO NOT SCALE - Dimensional variation may occur during printing

### **ADDITIONAL NOTES:**

- A) STAMP COLE HERSEE LOGO & DATE CODE AS TO WEEK & YEAR OF MANUFACTURE

·									
Revision Control Record					Revision Control Record				Tolerances are default to * 2-place De
Rev.	Description of Change	ECN No.	Date	Rev.		Description of Change	ECN No.	Date	* 3-place De * Angular D
Z	CHANGE NOTE	11288	09/29/14	٠	•		•	•	* Metric: Re
	•	,	•	٠	•		•	•	except those millimeters
•	•	•	•	٠	•		•	•	"REF." or ar
	·		·	•			•	•	Used On

lerances Unless otherwise specifically noted, the following edefault tolerances; 2-place Decimal Dimensions +/- .02" 3-place Decimal Dimensions +/- .005"

Angular Dimensions +/- 1.0 Deg.
Metric: Refer to equivalent English Dimension Tolerance
>>> NOTE: All tolerances are Non-Cumulative. <<<

cept those shown in brackets (xxx) are expressed in

REF." or an Asterisk (\*) = Non-Toleranced Reference mension, shown for clarification purposes only.

Scale: 2:1 Drawn CM

08/15/14 Responsible N/A

### Key for Special Characteristics:

Critical Characteristic, relating to Safety and/or

Significant Characteristic relating to Process Contro

Control Dimension relating to Form - Fit - Function as defined by Cole Hersee Company and/or the

Note that the identification of any Characteristics as being "Special" does not alter the requirement dimensions & tolerances must be met.)

Pg. 1 of 2

## Cole Hersee Co.

20 Old Colony Ave., South Boston, MA, 02127 Phn: 617-268-2100 Web: www.colehersee.com

Description: CIRCUIT BREAKER, 24 V

Drawing / Part No.: 30171 SERIES Current Rev.

② CHART