








	E	F
--	---	---

A	01/12/09	000566ER-RELEASE GMB		
B	20/APR/19	520661ECA-REMOVE NOTE 5 OPL		

1. COVER RETENTION TEST: MINIMUM FORCE OF 2 LBS. REQUIRED TO REMOVE COVER WHEN IT IS SUSPENDED UPSIDE DOWN. FORCE SHALL BE APPLIED THROUGH THE INNER HOLES (2) IN BASE. USE FIXTURE #T-C403 TO SUPPORT PART.
2. TORQUE REQUIREMENTS FOR THE HEX NUT USED TO SECURE THE CUSTOMER RING TERMINAL TO THE MEGA FUSE TO BE:
8mm NUT - 12-18 NEWTON METERS (106-159 IN-LBS)
3. HOLDER MEETS L/F VALIDATION TEST SPEC. VS-005002.
4. MATERIALS:
 - * BODY - GLASS FILLED THERMOPLASTIC
COLOR - BLACK
 - * COVER - THERMOPLASTIC
COLOR - BLACK
 - * WIRE TIE - THERMOPLASTIC
COLOR - BLACK
 - * STUDS & NUTS - M8 X 1.25 STEEL
ZINC PLATE WITH TRIVALENT CHROMATE, LEACHED AND SEALED.
INTEGRAL TORQUE CONTROL LUBRICANT FINISH.
(MEETS 96 HR. ASTM STD. B-117 SALT SPRAY REQ.)



NO	COMPONENT NO	DESCRIPTION	QTY/M	U/M	
BILL OF MATERIAL					
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS. DIMENSIONS IN BRACKETS [] ARE INCHES					
UNLESS OTHERWISE SPECIFIED, DIMENSIONS DO NOT INCLUDE PLATING.					
		DENOTES CRITICAL CHARACTERISTICS.			
CPK		DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE			
		DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS			
CP		DENOTES CP DIMENSIONS, -MINIMUM CP VALUE MUST BE WITHIN THE DIMENSIONAL LIMITATIONS SHOWN ON DRAWING AND INITIALLY LOCATED TO ALLOW FOR MAXIMUM TOOL LIFE			
COPIES TO		MATL SPEC			
1	9	18	FINISH		
2	10	19			
3	12	20			
4	13	21	DRW GMB DATE 01/12/09 SCALE 1:1		
5	14	23	CHK DATE SUPER DR		
6	15	33	APPD DATE FINSH GOOD WT		
7	16	43	GRAMS/PIECE		
8	17	53			
TOLERANCES UNLESS OTHERWISE SPECIFIED (REF. ISO 2768-mK)					
DIMENSION	0.5 - 3	UP TO 3 OVER 3 - 6	UP TO 6 OVER 6 - 30	UP TO 30 OVER 30 - 120	UP TO 120 OVER 120 - 400
TOLERANCE	+0.1	+0.1	+0.2	+0.3	+0.5
3RD ANGLE PROJECTION 		TITLE MEGAFUSE HOLDER			
		REVISION B	DRWG. NO. 02981026ZXT		
DES. PLAINES, ILLINOIS 60016					

CAD GENERATED DRAWING - NO PENCIL CHANGES ALLOWED

METRIC

ASSEMBLY

Littelfuse
DES PLAINES, ILLINOIS 60016

REVISION	DRWG. NO.
B	02981026ZXT